



# RAPTOR

SERIES



**RAPTOR**  
X

AVAILABLE DECK SIZES

42" & 54"



**RAPTOR**  
XL

AVAILABLE DECK SIZES

42" & 54"



**RAPTOR**  
XD

AVAILABLE DECK SIZES

42" - 60"



**RAPTOR**  
XDX

AVAILABLE DECK SIZES

48" - 60"

# RAPTOR

X

IDEAL FOR UP TO

**1**  
ACRE

## Premium Residential Frame

Continuous one-piece 1½ inch by 3 inch welded tubular frame not seen on any other residential mower. **#1 in Class**

## Welded Steel Deck

11 ga. welded fabricated steel deck adds durability & extends mower's life. (compare to other brand's cheap stamped decks)

**NEW!**

## Wider Stance

Additional operator platform width provides more room and comfort for the operator.

## SmoothTrak™ Steering

Precision control to help trim and maneuver easily around obstacles. You will fully understand SmoothTrak steering when you drive ours and then drive theirs.

**NEW!**



## Premium Seat

Provides a comfortable ride with armrests and added airflow to the back.

## Premium Power

The V-Twin Kawasaki® engine is the highest rated residential engine available.

## Foot-Operated Deck Lift

Easily adjust the deck height between 1.5" - 4.5" with less effort than hand-operated levers found on other brands.

## Easy to Service

Flip-up seat pan, removable floor pan, vented pulley covers.

**NEW!**

## Exclusive BigBite™ rear tires

We worked directly with the tire manufacturer on this design. You will not find them anywhere else.

LIMITED  
WARRANTY

**3** YEAR | **300** HOUR

RESIDENTIAL





## UPGRADES FOUND ON THE XL, XD, XDX



### RAPTOR XL

Compared to Raptor X

- ✓ Higher-Back Seat and Added Padding
- ✓ Standard Front Flex Forks
- ✓ Additional Horsepower Option (Kawasaki FR Engine 23hp)



IDEAL FOR UP TO  
**1**  
ACRE

LIMITED WARRANTY  
**3** YEAR | **300** HOUR  
RESIDENTIAL



### RAPTOR XD

Compared to Raptor X

- ✓ Higher-Back Seat and Added Padding
- ✓ Larger Deck Size Option (60")
- ✓ Larger Transmissions (Hydro-Gear® ZT-2800®)
- ✓ Larger 20" BigBite Drive Tires
- ✓ Additional Horsepower Options (Kawasaki FR Engine 24hp)



IDEAL FOR UP TO  
**3**  
ACRES

LIMITED WARRANTY  
**3** YEAR | **300** HOUR  
RESIDENTIAL

# RAPTOR XDX

Compared to Raptor XD

- ✓ Higher-Back Seat and Added Padding
- ✓ Larger Transmissions (Hydro-Gear® ZT-3100®)
- ✓ Larger 22" BigBite Drive Tires
- ✓ Commercial Grade Deck (10 Gauge, front bull nose bumper, replaceable trim guard)



## ACCESSORIES

- ▶ Mulch kit
- ▶ Grass bagger (non-powered 5.4 bushels, X, XL, XD)
- ▶ Grass bagger (powered 7.2 bushels, XDX)
- ▶ Steering lever extension kit
- ▶ FlexForks®
- ▶ Light kit
- ▶ Stripe kit

IDEAL FOR UP TO  
**3**  
ACRES

LIMITED WARRANTY  
**3** YEAR | **300** HOUR  
RESIDENTIAL

LIMITED WARRANTY  
**1** YEAR | **300** HOUR  
COMMERCIAL

RAPTOR X		RAPTOR XL
<b>ENGINE</b>		
Manufacturer	Kawasaki FR series	
HP	42" deck: 18HP - FR600 54" deck: 21.5HP - FR651 (Per SAE J1995)	42" deck: 21.5HP - FR651 54" deck: 23HP - FR691 (Per SAE J1995)
Displacement	42" deck: 603cc 54" deck: 726cc	726cc
Cooling	Air cooled	
Engine Warranty	3 year	
<b>DRIVE SYSTEM</b>		
Type	Dual hydrostatic	
Transmission	Hydro-Gear ZT2200	
Speed	Up to 7 mph	
Parking Brakes	Patented automatic	
<b>DECKS</b>		
Cutting Width	Side discharge: 42", 54"	
Cutting Heights	1.5" - 4.5"	
Deck Lift	Foot operated	
Depth	4.5"	
Blades	42" deck: 2 54" deck : 3	
Blade Length	42" deck: 2 - 20.50" 54" deck: 3 - 18.50"	
Blade Tip Speed	42" deck: 18,000" 54" deck: 18,600	
Spindles	Aluminum with 1" shafts and double lip sealed ball bearings	
Drive	Ogura GT1.5	
Construction	Fabricated 11 ga. steel	
Spindle Mounts	Reinforced 7 ga. steel	
Impact/Trim Areas	1/4" x 1" steel bar	
<b>CONSTRUCTION</b>		
Frame	1.5" x 3" steel tubing	
Front Axle	Fabricated with sealed ball bearings	
Front Caster Wheels	Sealed ball bearings	
Front Caster Forks	Fabricated 1/4" steel	FlexFork™
<b>GENERAL</b>		
Seat	Premium bolstered mid-back seat with armrests and built-in lumbar support	Premium bolstered high-back seat with armrests and built-in lumbar support
Fuel Capacity	3 gallons	
Cupholder	Yes	
Front Tire	42": 11 x 5 54": 11 x 6	
Drive Tire	42": 18 x 8.50 - 8 BigBite™ 54": 18 x 10.50 - 8 BigBite™	
<b>DIMENSIONS</b>		
Weight	42" deck: 537 lbs, 54" deck: 564 lbs	42" deck: 567 lbs, 54" deck: 594 lbs
Height	40.8"	42.6"
Length	42": 68.8" 54": 70.6"	42": 69.9" 54": 71.7"
Width w/Chute Up	42" deck: 45.5" 54" deck: 58.6"	42" deck: 45.5" 54" deck: 58.6"
Tire Width	42" deck: 43" 54" deck: 46.5"	42" deck: 43" 54" deck: 46.5"
Trim Side	42" deck: 0.4" 54" deck: 5.7"	42" deck: 0.5" 54" deck: 4"
<b>PRODUCTIVITY*</b>		
Acres Per Hour	42" deck: 2.38	54" deck: 3.01

RAPTOR XD				RAPTOR XDX			
<b>ENGINE</b>							
Manufacturer	Kawasaki FR series				Kawasaki FR series		
HP	42" & 48" deck: 21.5HP - FR651 54" deck: 23HP - FR691 60" deck: 24HP - FR730 (Per SAE J1995)				48" deck: 21.5HP - FR651 54" deck: 23HP - FR691 60" deck: 24HP - FR730 (Per SAE J1995)		
Displacement	726cc						
Cooling	Air cooled						
Engine Warranty	3 year						
<b>DRIVE SYSTEM</b>							
Type	Dual hydrostatic						
Transmission	Hydro-Gear ZT2800				Hydro-Gear ZT3100		
Speed	Up to 7.5 mph				Up to 8 mph		
Parking Brakes	Patented automatic						
<b>DECKS</b>							
Cutting Width	Side discharge: 42", 48", 54", 60"				Side discharge: 48", 54", 60"		
Cutting Heights	1.5" - 4.5"						
Deck Lift	Foot operated						
Depth	4.5"				5.0"		
Blades	42" deck: 2 48", 54", 60" deck : 3				3		
Blade Length	42" deck: 20.50" 48" deck: 16.50" 54" deck: 18.50" 60" deck: 20.50"				48" deck: 16.50" 54" deck: 18.50" 60" deck: 20.50"		
Blade Tip Speed	42" deck: 18,400" 48" deck: 18,500 54" deck: 18,800" 60" deck: 18,300				48" deck: 18,600 54" deck: 18,900" 60" deck: 18,400		
Spindles	Aluminum with 1" shafts and double lip sealed ball bearings				Aluminum with 1" shafts and sealed ball bearings		
Drive	Ogura GT1.5						
Construction	Fabricated 11 ga. steel				Fabricated 10 ga. steel		
Spindle Mounts	Reinforced 7 ga. steel				Reinforced 11 ga. steel		
Impact/Trim Areas	3/8" x 1" steel bar				11ga. formed channel w/ rolled edge		
<b>CONSTRUCTION</b>							
Frame	1.5" x 3" steel tubing						
Front Axle	Fabricated with sealed ball bearings						
Front Caster Wheels	Sealed ball bearings						
Front Caster Forks	Fabricated 3/8" steel				Fabricated 3/8" steel		
<b>GENERAL</b>							
Seat	Premium bolstered high-back seat with armrests and built-in lumbar support				Premium bolstered extra high-back seat with armrests and built-in lumbar support		
Fuel Capacity	3 gallons						
Cupholder	Yes						
Front Tire	42": 13 x 5 48", 54", 60": 13 x 6.5				13 x 6.5		
Drive Tire	42" & 48": 20 x 8 - 10 BigBite™ 54", 60": 20 x 12 - 12 BigBite™				48": 22 x 9.5 - 10 BigBite™ 54", 60": 22 x 11 - 10 BigBite™		
<b>DIMENSIONS</b>							
Weight	42" deck: 616 lbs 48" deck: 627 lbs 54" deck: 653 lbs 60" deck: 680 lbs				48" deck: 646 lbs 54" deck: 678 lbs 60" deck: 710 lbs		
Height	43.7"						
Length	42" & 48": 69.3" 54" & 60": 71.1"				71.1"		
Width w/Chute Up	42" deck: 45.8" 48" deck: 52.5 54" deck: 58.5" 60" deck: 64.4"				48" deck: 50.6" 54" deck: 57" 60" deck: 62.2"		
Tire Width	42" & 48" deck: 42" 54" & 60" deck: 48.6"				48" deck: 45.8" 54" & 60" deck: 48.6"		
Trim Side	42" deck: 1" 48" deck: 4.5" 54" deck: 3.2" 60" deck: 7.2"				48" deck: 1.9" 54" deck: 3.4" 60" deck: 7.4"		
<b>PRODUCTIVITY*</b>							
Acres Per Hour	42" deck: 2.54 48" deck: 2.91 54" deck: 3.27 60" deck: 3.64				48" deck: 3.10 54" deck: 3.49 60" deck: 3.88		

\* Number based on 80% efficiency. This rating is to account for actual mowing conditions including overlapping, turning and terrain.

\*\* Specifications are subject to change without notice.